

Letter No – 357/BPMU/DNR

Date – 06/01/2025

To

The Member Secretary
State Pollution Control Board
Odisha, Bhubaneswar

Sub: Submission of BMW Annual report for the year 2024.

Sir,

With reference to the subject cited above, I am submitting herewith the annual report on BMW activities of CHC Dhamnagar, Dist-Bhadrak for the year 2024 as per the approved format.

Yours faithfully

M. M. M.
06.01.2025
Superintendent
CHC Dhamnagar, Bhadrak
Superintendent
CHC Dhamnagar, Dist-Bhadrak
Date – 06/01/2025

Letter No-358/ BPMU/DNR


- Copy submitted to the OSPCB, regional office Balasore for information.
- Copy Submitted to the CDM & PHO, Bhadrak for kind information.
- Copy submitted to the BDM, CHC Dhamnagar for upload in the CHC Website (<https://chcdhamnagar.in/>).

M. M. M.
06.01.2025
Superintendent
CHC Dhamnagar, Bhadrak
Superintendent
CHC Dhamnagar, Dist-Bhadrak

**From -IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars		
1.	Particulars of the Occupier	:	SUPERINTENDENT, CHC Dhamnagar
	(i) Name of the authorized person (occupier or operator of facility)	:	Dr. Manmaya Kumar Samantasinghar Superintendent, CHC Dhamnagar, Dist- Bhadrak
	(ii) Name of HCF or CBMWTF	:	CHC Dhamnagar, Dist- Bhadrak
	(iii) Address for Correspondence	:	CHC Dhamnagar, Dist- Bhadrak
	(i) Address of Facility	:	CHC Dhamnagar, Pin-756117, Dist- Bhadrak
	(ii) Tel. No. Fax. No.	:	9439994522
	(V) E-mail ID	:	bpmudhamnagar@gmail.com
	(i) URL of Website	:	http://chcdhamnagar.in/
	(ii) GPS coordinates of HCF of CBMWTF	:	Not Applicable
	(iii) Ownership of HCF of CBMWTF	:	(State Government of Private or Semi Govt. or any other): State Government
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No.6724/ IND-IV-BW-477 Valid up to- 31/03/2025
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: Applied
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	Yes No of Bed- 30
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	NA
	(iii) License number and its date of expiry.	:	6724/ IND-IV-BW-477 Valid up to- 31/03/2025
3.	Details if CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	M/S Mediaid Marketing Services ONE (CHC Dhamnagar)
	(ii) No. of beds covered by CBMWTF	:	30
	(iii) Installed treatment and disposal capacity of CBMWTF	:	NA
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	NA
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category:-1029.155 kg per annum Red Category:- 901.629 kg per annum White:-78.931 kg per annum Blue Category:-690.178 kg per annum General Solid waste:- 3109 kg per annum
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility	:	


 66.01.2025
Superintendent
CHC Dhamnagar, Dist- Bhadrak

	(i) Details of the on-site storage facility	:	Size :- 415.51 sq ft (Under Construction)																																																
			Capacity:- 04 ton																																																
			Provision of on-site storage : (cold storage or any other provision)																																																
	(ii) Disposal Facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment or Equipment In</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed Kg per Annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Plasma Paralysis</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Autoclaves(fun)</td> <td>- 1</td> <td>.40</td> <td>14.400</td> </tr> <tr> <td>Microwave</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Hydroclave</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Shredder(fun)</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td colspan="3">-5 needle cutter and needle destroyer</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td>- 0</td> <td>NA</td> <td>(After dismantling the new construction is going on)</td> </tr> <tr> <td>Deep Burial pits:</td> <td>- 0</td> <td>NA</td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Any other treatment equipment:</td> <td>- NA</td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment or Equipment In	No of Units	Capacity Kg/day	Quantity treated or disposed Kg per Annum	Incinerators	- 0	0	0	Plasma Paralysis	- 0	0	0	Autoclaves(fun)	- 1	.40	14.400	Microwave	- 0	0	0	Hydroclave	- 0	0	0	Shredder(fun)	- 0	0	0	Needle tip cutter or destroyer	-5 needle cutter and needle destroyer			Sharps encapsulation or concrete pit	- 0	NA	(After dismantling the new construction is going on)	Deep Burial pits:	- 0	NA		Chemical disinfection:	- 0	0	0	Any other treatment equipment:	- NA		
Type of treatment or Equipment In	No of Units	Capacity Kg/day	Quantity treated or disposed Kg per Annum																																																
Incinerators	- 0	0	0																																																
Plasma Paralysis	- 0	0	0																																																
Autoclaves(fun)	- 1	.40	14.400																																																
Microwave	- 0	0	0																																																
Hydroclave	- 0	0	0																																																
Shredder(fun)	- 0	0	0																																																
Needle tip cutter or destroyer	-5 needle cutter and needle destroyer																																																		
Sharps encapsulation or concrete pit	- 0	NA	(After dismantling the new construction is going on)																																																
Deep Burial pits:	- 0	NA																																																	
Chemical disinfection:	- 0	0	0																																																
Any other treatment equipment:	- NA																																																		
	(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	:	Category (like plastic, glass etc.) Plastics (Red): Nil Glass (Blue): 0 kg per annum																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste.	:	1																																																
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)		Quantity Generated Incineration:- 0 Ash:- 0 ETP Sludge:- 0 Where disposal Don't have any																																																
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:																																																	
	(vii) List of member HCF not handed over bio-medical waste.	:	0																																																
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	Yes																																																
7.	Detail trainings conducted on BMW																																																		
	(i) Number of training conducted on BMW Management.		2 batches																																																
	(ii) Number of personnel trained		87																																																
	(iii) Number of personnel trained at the time of induction		87																																																


 06.01.2025
 Superintendent
 CHC Dhamnagar, Dist. Bhadra

	(iv) Number of personnel not had undergone any training so far.		28
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		Through Leaflet & Poster
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		0
	(ii) Number of the persons affected		0
	(iii) Remedial Action taken (Please attach details if any)		NA
	(iv) Any Fatality occurred, details.		NA
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not meet the standards?		No incinerator
	Details of Continuous online emission monitoring systems installed		No
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		Low cost waste water treatment
11.	If the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		NA
12.	Any other relevant information		NA

Certified that the above report is Annual report for the year 2024 (January 2024 to December 2024).

Date: 06/01/2025
Place: CHC Dhamnagar

Name and Signature of
the Head of the Institution

Superintendent
CHC Dhamnagar, Dist-Bhadrak